OUTDOOR: VENT-FREE GAS FIREBOXES

VRE6000 SERIES



"Impressive" is the only way to describe these massive fireboxes. Designed for large outdoor applications, the VRE6000 Series Vent-Free Gas Firebox features a 30" tall opening, long lasting stainless steel construction and beautiful Mosaic Masonry kiln-fired firebrick liners in a variety of designer colors and stacked or herringbone patterns. Combined with outdoor vent-free gas logs, the VRE6000 delivers an authentic masonry look and feel.



FEATURED VRE6042 with Ivory Herringbone brick and Giant Timbers OD gas log set (sold separately)

EXCLUSIVE FEATURES

- Available in 36", 42" and 50" models
- 30" tall and full brick to-face-design opening on all models.
- Fully insulated firebox for increased performance in colder climates
- Mosaic Masonry Firebrick available in a variety of patterns and colors with integrated ash lip (one required)
- A Durable 304-stainless steel on front face, and all surfaces exposed to weather.
- Includes stainless steel mesh fire screens
- Select from a variety of compatible vent-free log sets and controls (sold separately)
- **6** Easy-access gas line knockouts on both sides for quick and simple installation.
- 4 20 Year Limited Warranty

Compatible with any listed ANSI Z21.97 outdoor vent-free gas log set. Choose a Superior vent-free gas log set for best results.

MOSAIC MASONRY FIREBRICK LINERS

Mosaic Masonry liners are constructed with true kiln-fired firebricks and mortared joints for a classic masonry fireplace appearance. Offered in a variety of solid colors in full stacked, full herringbone, split stacked and split herringbone patterns.



INTERIOR OPTIONS



Midnight Full Herringbone



Midnight Split Herringbone



Slate Grey Full Herringbone



Slate Grey Split Herringbone



Midnight Full Stacked



Midnight Split Stacked



Slate Grey Full Stacked



Slate Grey Split Stacked



Warm Red Full Herringbone



Warm Red Split Herringbone



Ivory Full Herringbone



Ivory Split Herringbone



Warm Red Full Stacked



Warm Red Split Stacked



Ivory Full Stacked



Ivory Split Stacked


COMPATIBLE VENT-FREE GAS LOG SETS



Giant Timbers OD




Mossy Oak OD



	VRE6036	VRE6042	VRE6050	
А	54-5/8″	54-5/8"	54-5/8"	
В	45-3/8"	51-3/8"	59-1/4"	
С	28-1/4"	30-1/8"	30-1/8"	

CORNER FRAMING SPECIFICATIONS



	THEODOO	TILOUIL	TILOUGU	
D	61"	65"	71"	
E	45-3/8"	51-3/8"	59-3/8"	
F	86-1/2"	92"	100"	

On the Cover: VRE6042 shown with Warm Red Full Herringbone brick


IMPORTANT NOTES:


As with any fireplace, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.

Local conditions, such as elevation and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, ceiling height, accessories chosen and appliance location.

Diagrams, illustrations and photographs are not to scale — consult installation instructions. Product designs, materials, dimensions, specifications, colors and prices are subject to change or discontinuance without notice.

APPLIANCE SPECIFICATIONS





	VRE6036	VRE6042	VRE6050
G	29"	30-5/16"	38-5/16"
Н	45-1/8"	51-1/8"	59"
I	30"	30"	30"
J	36"	42"	50"
К	49"	49"	49"
L	28"	30"	28-1/2"
М	54-1/2"	54-1/2"	54-1/2″
N	3-5/16"	3-5/16"	3-5/16"
0	9-7/16"	9-7/16"	9-7/16"
Р	7-3/8"	8-3/4"	8-3/4"
Q	11-1/8"	13"	13"

INTERIOR FIREBOX DIMENSIONS*

	VRE6036	VRE6042	VRE6050
FRONT WIDTH	36"	42"	50"
REAR WIDTH	22 1/2"	26 3/8"	34 3/8"
DEPTH	19"	21 3/4"	21 3/4"
HEIGHT	30"	30"	30"

* To assist with compatible log size selection



